

Lamps with glass wedge bases W5W

Original spare part



The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Product datasheet

Technical data

Product information

Order reference	2825
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	10.0 mm
Product weight	1.30 g
Length	26.8 mm

Lifespan

Lifespan B3	350 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W5W
--------------	-----

Country specific categorizations

Order reference	2825
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	03-02-2023
Primary Article Identifier	4050300925684 4050300838632 4050300556956 4050300887951 4008321163578 4008321117274 4050300985558 4050300888712 4008321517913 4052899072053 4052899317659 4052899418851 4052899418837 4052899560864 4052899560369 4052899560895 4052899560987 4052899560956 4052899560291 4052899560338 4062172004862 4062172056625 4052899980044
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300838632	OSRA2825	8328258	4739284	-
4050300524801	OSRA2825	8328258	4739284	-
4050300838632	OSRA2825	8328258	4739284	-
4050300925684	OSRA2825BLI2	-	4730323	-
4050300925684	OSRA2825BLI2	-	4730323	-

Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838632	ORIGINAL - WEDGE BASE W5W	Unpacked 1	10 mm x 10 mm x 27 mm	0.00 dm ³	1.00 g
4050300524801	ORIGINAL - WEDGE BASE W5W	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	24.00 g

Product datasheet

4008321094469	ORIGINAL - WEDGE BASE W5W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	150.00 g
4050300925684	ORIGINAL - WEDGE BASE W5W	Blister 2	- x - x -		11.00 g
4008321140340	ORIGINAL - WEDGE BASE W5W	Shipping carton box 20	123 mm x 105 mm x 92 mm	1.19 dm ³	116.80 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	360 Degree Image ORIGINAL W5W 2825

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM