Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	STEMNING
--------------------------------	----------

Supplier's address: Jem & Fix, Skomagervej 12, 7100 Vejle, DK

Model identifier: 9060605

On-mode power (Pon), ex-

(P_{net}) for CLS, expressed in W

and rounded to the second dec-

Height

Width

Depth

power

Networked standby

pressed in W

Outer dimen-

sions without

separate con-

trol gear, light-

control

imal

ing

Type	of	light	source:
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0	

ighting technology used:	LED	Non-directional or directional:	NDLS
ight source cap-type or other electric interface)	other elec- tric interface		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
ligh luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
	Product para	meters	
arameter	Value	Parameter	Value
	General product p	parameters:	
nergy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	6	Energy efficiency class	G
Jseful luminous flux (фuse), in- licating if it refers to the flux in sphere (360º), in a wide cone 120º) or in a narrow cone (90º)	470 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000

5,2

37 450

27

5

Standby power (P_{sb}),

expressed in W and

rounded to the sec-

Colour rendering in-

dex, rounded to the

nearest integer, or the range of CRI-val-

ues that can be set

Spectral power dis-

range 250 nm to 800

nm, at full-load

in

the

ond decimal

tribution

0,00

86

See image

in last page

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,437	
		nates (x and y)	0,405	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	0	Survival factor	0,90	
the lumen maintenance factor	0,90			

(a)'-': not applicable; (b)'-': not applicable;

Spectrum

