

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Mikelo LED spejle

**Supplier's address:** MIKELO A/S, Gåseagervej 6, 1tv, 8520 Aarhus Egå, DK

**Model identifier:** 9074680

**Type of light source:**

|                                                     |          |                                 |                            |
|-----------------------------------------------------|----------|---------------------------------|----------------------------|
| Lighting technology used:                           | LED      | Non-directional or directional: | NDLS                       |
| Light source cap-type (or other electric interface) | Terminal |                                 |                            |
| Mains or non-mains:                                 | NMLS     | Connected light source (CLS):   | No                         |
| Colour-tuneable light source:                       | No       | Envelope:                       | -                          |
| High luminance light source:                        | No       |                                 |                            |
| Anti-glare shield:                                  | No       | Dimmable:                       | Only with specific dimmers |


## Product parameters

| Parameter                                                                                                                                             | Value                | Parameter                                                                                                                                                  | Value                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>General product parameters:</b>                                                                                                                    |                      |                                                                                                                                                            |                        |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer                                                                         | 7                    | Energy efficiency class                                                                                                                                    | F                      |
| Useful luminous flux ( $\phi_{\text{use}}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 635 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 500                  |
| On-mode power ( $P_{\text{on}}$ ), expressed in W                                                                                                     | 6,6                  | Standby power ( $P_{\text{sb}}$ ), expressed in W and rounded to the second decimal                                                                        | 0,00                   |
| Networked standby power ( $P_{\text{net}}$ ) for CLS, expressed in W and rounded to the second decimal                                                | -                    | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set                                                         | 80                     |
| Outer dimensions without separate control gear, light-                                                                                                | Height               | Spectral power distribution in the range 250 nm to 800 nm, at full-load                                                                                    | See image in last page |
|                                                                                                                                                       | Width                |                                                                                                                                                            |                        |
|                                                                                                                                                       | Depth                |                                                                                                                                                            |                        |


|                                                                       |      |                                    |                |  |
|-----------------------------------------------------------------------|------|------------------------------------|----------------|--|
| ing control parts and non-lighting control parts, if any (millimetre) |      |                                    |                |  |
| Claim of equivalent power <sup>(a)</sup>                              | -    | If yes, equivalent power (W)       | -              |  |
|                                                                       |      | Chromaticity coordinates (x and y) | 0,401<br>0,394 |  |
| <b>Parameters for LED and OLED light sources:</b>                     |      |                                    |                |  |
| R9 colour rendering index value                                       | 0    | Survival factor                    | 0,90           |  |
| the lumen maintenance factor                                          | 0,96 |                                    |                |  |

(a) '-': not applicable;

(b) '-': not applicable;



Model placed on the Union market from 01/01/2016



**EPREL registration number:** 2164833

<https://eprel.ec.europa.eu/qr/2164833>

**Supplier:** MIKELO A/S (Importer)

**Website:** <https://mikelo.dk/>

**Customer care service:**

**Name:** MIKELO A/S

**Website:** [www.mikelo.dk](http://www.mikelo.dk)

**Email:** [info@mikelo.dk](mailto:info@mikelo.dk)

**Phone:** 86286070

**Address:**

Gåseagervej 6, 1tv  
8520 Egå  
Denmark